



Beatrix Medical™

A trademark of **Standard Surgical Corp**



Standard Surgical Corp
Near New DMC Hospital,
Civil Lines, Ludhiana, Punjab



standardsurgicalcorp@gmail.com
info@standardsurgicals.in



+91-9815909900
+91-9646466688



www.standardsurgicals.in



lifts, the higher - to the highest
ADVANCED OPERATING TABLE



Range of Operating Tables



Beatrix Medical™

A trademark of Standard Surgical Corp



BASE

The base is covered by ABS/SS cover which assures rust free and prevents water and dust from entering inside

MATTRESS

High quality disinfectant memory foam mattress with velcro fixation for patient comfort. Thickness of mattress is of 50mm to 80mm

MATERIAL

Table top frame, accessories and all other material are made of SS 304

POWER BRAKES

The braking and unbraking of the table can be achieved electrically by single click either through the handset or override panel.

MEMORY

Any 2 positions can be memorized depending upon the requirement of the surgeons. It can be erasable and reprogrammable.

HAND REMOTE

Corded hand control with on/off switch plugged to the table column

COLUMN

Self lubricating jerkless, weldless jointless steel column

ELECTRO HYDRAULIC

The table operates with the help of heavy duty leak-proof hydraulic pump

WHEEL

Scratch free Imported poly urethane twin disc central lock castors. Table can be rotated 360deg through base.

SAFETY LOCK

Safety lock at the ends of the side rails prevent accessories falling off

EMERGENCY STOP

In case of any malfunction, the table can be brought to halt by using this function.

ELECTRICAL OVERRIDE

In case of remote failure, all the functions can be operated electrically through electric override panel on the table column

TABLE TOP

The entire table top is made of strong radiolucent material ensures C-arm compatibility

ELECTRONICS

Controllers, handsets, cables, actuators, override panels, batteries are all Imported

POWER SUPPLY

The table operates on 220V/5 Amps domestic power supply

SLIDING

The table top can be slid upto 400mm on either side.

BATTERY BACKUP

Equipped with a huge battery storage which can provide backup for few days. The battery has a recharging unit.

MANUAL OVERRIDE

In case of electrical component failure, all the functions can be operated manually by a foot pedal from base


Operating Elements

Beatrix Medical™


A trademark of Standard Surgical Corp



Standard Surgical Corp



C-Arm Compatible Multipurpose
Dual Mode Electro Hydraulic Table



Quick lock
(Optional)




Safety lock



Polyurethane wheels



Foot pedal



Power brakes

T-SHAPED/NARROW base covered by **ABS/STAINLESS** base cover

GLORY

Aesthetically and scientifically designed Glory model operation table is the result of systematic improvements to offer the best support for the patient and surgical team.

It offers unique X-ray and C-Arm capabilities and extreme articulations for perfect and ergonomic access. It allows for every basic and specialist surgical activities and is widely accepted by surgeons and medical technicians.

The table can be equipped with wide range of table tops and bases. Functional movements of the table column are provided by reliable electro-hydraulic system. Movements of the back section is performed electro-hydraulically and head & Leg section are supported on the gas springs.


Glory is an universal operating table which is flexible, sturdy, mobile and extremely easy to adjust with high quality electrohydraulic surgical table for Ortho, Neuro, Spine, Cardio thoracic, Gastro Enterology, Bariatric, PCNL, Urology, Gynec, Lapro, Ophthalmic, ENT and General Surgeries

Beatrix Medical™

A trademark of Standard Surgical Corp



380 Kgs
Dynamic
Weight bearing
capacity



Longitudinal sliding



Shoulder surgeries



D.H.S



Head and neck surgeries



C- Arm Compatible X- Ray Translucent

Versatile Usage Providing Maximum
Comfort To The Patient And Surgeon

Table can be stretched upto 6 feet
either side without any cross bar or
floor support which supports to get
clear X-ray images.

Guide rails under the table top
allows to insert X-ray cassettee
for full length by either side



Tibial surgeries




Knee - Chest position



Urology

Beatrix Medical™

A trademark of Standard Surgical Corp



Minimum & Maximum height

Jointless steel column which assures trouble free, jerk less and high load carry capacity
Customization can be done as per customer requirement




Femur surgeries




Gynecology surgeries



Beatrix Medical™
A trademark of Standard Surgical Corp



Spinal surgeries



O-arm compatible
3D C-arm imaging position with
Carbon fibre table top



Bolsters for prone surgeries



General surgeries



Cervical in Prone




Cervical in Supine



3 pin fixator compatible




Neuro sitting position



4 pin fixator compatible



Humerous in lateral



Electronic controlled kidney position using extension and flexion via hand control



Manually operated Kidney Bridge



More leg space for operating surgeons



Gastro Enterology




Cardio Thoracic surgeries



Lapro - Gynec procedures

Reversible table top



Humeralus prone position



The Table Top can be reversible. The head side attachments can be fix to the tail side and the tail side attachments can be fix to the head side.

T.H.R



T.K.R



Hand surgeries



Beatrix Medical™

A trademark of Standard Surgical Corp

High load carrying capacity for Bariatric surgeries



275 Kgs
Safe patient load carrying capacity in all articulations and also in reverse orientation

380 Kgs
Dynamic load carrying capacity



Power Indicator



Battery Indicator



Power Button



Emergency Stop



Arthroscopic thigh holder



leg Stirrup
Compatible



Compatible for pediatric surgery



Beatrix Medical™

A trademark of Standard Surgical Corp



30° Trendlenburg



21° Left tilt



90° Back up



Max height

Height range (without mattress)

10 function table
650mm - 1050mm

12 function table
650mm - 1000mm
(Sliding table)

10 function table
600mm - 1200mm

Customization can be done
as per customer requirement




30° Reverse Trendlenburg



21° Right tilt



90° Back down



Min height

Manual Movements



Flexion 130°



Sliding
400mm Headside



45°/90° Head up



20° Leg up



90° Abduction



Extension 230°



Sliding
400mm Legside



45°/90° Head down



90° Leg down

Table Top Dimensions

Length

2050mm

Width

550mm without side rails

600mm with side rails




Customization can be done
as per customer requirement


Beatrix Medical™

A trademark of Standard Surgical Corp


Standard Accessories may vary depends on the surgery and customer requirement




Head rest



Back rest



Centre bed




Long urology bed




Ortho bed



Leg bed



Additional bed



Pelvic reconstruction bed




Arm rest



Simple side end block



Side support



Hand surgery Bed



Humorous bed



Extension bar



Lithotomy



Screw tension device



Flat clamp



Radial setting clamp



Anesthesia screen rod



Right traction boot



Left traction boot



DHS/femur counter traction post



DHS extension



Orthopaedic traction attachment



Telescopic traction left



Telescopic traction right

Wide range of Gel beds
for both adult and pediatric

Head ring, horse shoe
prone, supine, lateral,
leg, arm, heel,
full body
and more



Beatrix Medical™

A trademark of Standard Surgical Corp



Standard Surgical Corp

Near New DMC Hospital,
Civil Lines, Ludhiana, Punjab



standardsurgicalcorp@gmail.com
info@standardsurgicals.in



+91-9815909900
+91-9646466688



www.standardsurgicals.in

Optional Accessories Any kind of special accessories can be provided as per customer requirement



Tibial attachment



Steinman pin holder



Horse shoe shaped cervical attachment



Short urology bed



Bolsters



TKR



THR



Adapter for arthroscopy and cervical attachment



Floor support



Kidney bridge



Accessories stand (MS & SS)




3 pin fixator



4 pin fixator



Femur in lateral



Shoulder traction pulley



Knee chest position



Radiolucent spinal frame



4 post spinal frame



Knee arthroscopy attachment



Shoulder arthroscopy with helmet



Shoulder support



Finger traction



SS Shoe plate



Drainage Tray



Body binder



Wrist binder



Hip Spica



Cervical spine attachment with traction



Neuro sitting position attachment



X-ray cassette tray with pushing rod

Beatrix Medical™

A trademark of Standard Surgical Corp



Standard Surgical Corp

Near New DMC Hospital,
Civil Lines, Ludhiana, Punjab




standardsurgicalcorp@gmail.com
info@standardsurgical.in



+91-9815909900
+91-9646466688



www.standardsurgical.in



A trademark of **Standard Surgical Corp**



Standard Surgical Corp

Near New DMC Hospital,
Civil Lines, Ludhiana, Punjab



standardsurgicalcorp@gmail.com
info@standardsurgicals.in



+91-9815909900
+91-9646466688



www.standardsurgicals.in